


IntelligentToilet

INSTRUCTIONS FOR THE USE OF PRODUCTS

Wisdom knows you better
Automatic Intelligent Toilet



Note: gearing and use before please to cautiously read this manual
Please the warning and regulation of obeying the product manual inside marking

CATALOGUE

CONTENTS

Important safety guide	1
Safety precautions	2
Use of precautions	6
Remote control use description	9

OPERATION METHOD

Pre - use confirmation	15
How to use the	16
Instructions for use	17

SWEEP TO MAINTAIN

Sweep to maintain everyday	18
Dismantle to unload to clean	19
Spray a function to weaken	20
The remote control battery replaces	21

Have congelation in winter dangerous	22
Break down judgment	23
Specification	27

Appreciate you purchase intelligence urinal,
please cautiously read after this manual exactitude to use.
The reading finishes manual behind please keep the place that takes to use in the convenience.

IMPORTANT AND SAFE GUIDEBOOK

While using an electronics product, particularly and beside, the kid please follow safety operation guidebook.

 Is dangerous-for the sake of the decrease get an electric shock of possibility

- 1.Please don't place a product or deposit in the place of possible drenching.
- 2.Please don't drop the remote control into bathtub, sink and other liquid.
- 3.Please don't spray water to the product or the plug part.

 Warn a for prevent^ofroming burn, getting an electric shock, lighting a fire and the possibility for getting hurt

- 1.Young child, descend a body to paralyze to the temperature not more the user of sensitive , while using a product, need others to accompany and please regulate the temperature as lowest file or toilet function close.
- 2.Product the function that is limited by this elucidation in the book the row, please don't use the subsidiary equipments that non- our company recommends.
- 3.Product electric wire or plug occurrence damaged, the product appear a breakdown, product to be subjected to break or drop into under the aquatic circumstance, please don't continue to use this product.Send to product appointed repair center check, check in the neighborhood to fix or adjust.
- 4.Please ensure electric wire not drive hot Sun.
- 5.Don't at drowsy or sleep status bottom use originally product.
- 6.Please don't drop any product into or insert product openings or pipe line.
- 7.Please don't use this product outdoors.



Please keep this safe guidebook

SAFE REGULATION

Please must obey

The exactitude uses after pleasing hard and reading originally(safe regulation).The regulation that here lists is with safe related important contents, please must obey.

Marking and meaning are explained as follows

 Warn	Take no cognizance this but when the mistake operate may result in personnel's severely wounded or death.
 Notice	Take no cognizance this but mistake operation, may result in the Human body hurt or the property lose.

Diagram object for instance and elucidation

	⊘ Meaning can not go, (forbid) of idea. The left chart shows. (forbid to dismantle a solution)
	⚠ The left chart shows. (forbid to dismantle a solution)

Warn



Forbid to splash water

Please don't sprinkle water or rinse on product essence or the power plug

- May arouse a fire or get an electric shock
- May arouse an urinal blowout, harm or the indoor to ooze water.

This product belongs to an electrical product, so please doesn't install be easily sprinkled by water or is the place of degree of humidity Gao, an use in the bathroom, send greeting to pack to change a spirit or change a spirit, make the bathroom keep good air to circulate.

The power goes together with line if don't press row to request to go together with line. May arouse a fire or get an electric shock.

1. The back track of electric outlet please use a high feeling and rapid type electric leakage switch(the sum certainly responds the electric current 15 mA following) or use to insulate the transformer 1.5 KVA above, the 3 KVA is following)carry on a protection.
2. The gearing position of electric outlet please to give examples 0.3 m in the ground above, and leave bathtub as far as possible a little bit farer.



The product connects a ground of line to carry on to connect a ground of processing, if has never carried on to connect a ground of processing, may arouses to get an electric shock.

While using in the bathroom please confirm the power plug have already used Huo gum to carry on a waterproof processing

Warn



Is damp to
forbid an use

Please don't wait damp place to install this product in the bathroom
*May arouse a fire or get an electric shock



Forbid to
dismantle to
unload

Absolutely can not personally
dismantle a solution and fix,
reform a product



Forbid a
wet hand

Please don't put to pull
out the power plug with
thetwet hand



Forbid

While following circumstance
happening please pull out
the power plug and close into
waterCape valve and stop
into water.



Forbid

Please don't damage power
cable or then conjunction line

The words that take no cognizance
product damage to still continue to
use, may arouse a fire, get an
electric shock, short circuit.

The essence leaks
The product appears crack
and opens crack
Appear an abnormality voice,
excescent smell
The product emits smoke
The product unusually has fever
Block by urinal

If the power cable damages
and need is carried on by
the professional to maintain.



Forbid

Please not an use loose
unsteady AC outlet



Forbid

Please don't use several
electric wire electric outlets,
Be pleased not to half-way
to connect electric wire or
use extension cord.



Forbid

Please not an use in
addition to tap water of
headwaters



Forbid

Please not an use to
communicate 220 Vs
outside of the power

Notice



Notice heat burn

*Sit for a long time at then up, please will
then the temperature of regulate into low
temperature or close

*The following personnel uses a heat
preservation then when and genial
breezes dry please regulate the temperature
to the low file status.

The child, old man, patient,
and disable and sick
person...etc. act an
inconvenient person.
Take the easy sleep medicine,
depth alcohol and excessive
fatigues of crowd.

⚠ Warn



Forbid material
for new fire

Please don't let the material for new fires like cigarette, etc approach a product




Forbid

Please don't by hand point or other product etc. s put to go into or block genial breezes to blow exit. Please don't blow the hand overlay genial breezeses, such as file and clothes...etc. exit



Forbid

Please don't exert strong dint or impact, don't stand at then, then cover or essence up, don't place to weigh a thing



Forbid

Invite the kitchen of using the quilt dilution to use to wash away dirt while maintaining, please don't use the following product (The toilet is used to wash away dirt and residence to use to wash away dirt a , gasoline, banana water and gone to dirty powder and nylon brush etc.)

*May damage a pipe line and cause a leak.



Forbid

Under the status that open into water Cape valve, can not tore down into water to lead a filter net

*May arouse a leak.



Have to obey


Please not distortion and break into water soft tube



Forbid

Please not an use the urinal flush in addition to relieving nature of thing

*May cause then block, sewage outside overflows.



Have to obey

When long time didn't use, please pull out the power plug.

*Water decaying while again using can cause dermatitis disease etc., please again water to use behind.



Have to obey

While taking place to leak please close into water Cape valve and stop into water



Have to obey

Install into water percolation net please will it prison Ning in the prison tight.



Have to obey

The damage that prevents from resulting in because of congelation

Please carry out to keep warm etc., raise toilet temperature.



Have to obey

Put power cable plug well

*Before using please confirm to put power cable plug well, plug and electric outlet are close to stick to match to be loose to move or insert an imperfect phenomenon, otherwise may arouse surprised fire because of having fever.
*Long term not use originally product, please pull out the power plug.



Have to obey

When urinal blocked, please pull out the power plug, used the piping of sale to dredge machine clearance to block a thing on the market

*Don't pull out the power plug, will carry on an auto to wash clearly, can cause sewage full Zi.The indoor soaks in water.



Have to obey


Please not direct sunlight to project light upon this product

*Easily make product change countenance, aging or open crack.



Have to obey

Please use to attach to go together with a soft tube



USE A REGULATION

Please must obey a following item 

The reason of the harm and damage

Please don't use to do cloth or toilet paper etc. to wipe a product essence (non- porcelain and ceramics part) and then, then cover.



Strictly forbid to directly flush with water




Break down reason

Please don't sprinkle urine at the essence and spray a mouth top



While thundering please pull out the power plug



Action bad

Can not overaly sending out of sensor, the human body examination sensor and remote control signal and receive signal.



*May arouse the intelligence toilet mistake operation.

Please don't lean back is then covering

*May cause outer shell and damping damaged.



Please must obey a following item

At possibility occurrence congelation of nighttime,
is prevention congelation but result in damage,
please adopt to defend to
freeze measure.



Please don't keep warm a machine or warm stove of wait
to close to an essence.

*Will take place to change countenance
or break down




Please don't coarse of open a turn or cover

*Will take place to open crack or breakdown

THE PRODUCT USE EXPLAINS


Ai intelligence speech system(this function is applicable to a speech control style)



Wake machine son up first, then speak function instruction with the common speech, the toilet can identify instruction combine auto performance to in response to function

Switch on status bottom, the knob revolves not to put toward kirtle direction, about 5 loosen to open behind, hear hint after the sound, again press customer's 2 keys in 2, can open or close speech instruction function

Is full-automatic to turn over a cover to turn over a turn




Covers| turn pass, person near respond area about the 40 cms, the cover automatically opens.

(This function is applicable to full-automatic turn over to cover a style)



Turn pass, right foot near respond area about the 10 cms, the feet open a turn



After feet open a turn of operation, feet blunt water.

When turn opened, feet close turn.

The human body after leaving to respond area 90 automatically closes a cover.

THE REMOTE CONTROL FUNCTION EXPLAINS



Hip wash

Press after taking the seat "the hip washes" or the remote control "the hip washes" key, the hip washes spray a mouth clearly to will at fix the position jet after two minutes an auto to stop jet.



Stop

This key can stop "the hip cleans" Be female to clean ""dry" to wait these functions that are circulating.



Female

Press after taking the seat "female wash" clearly or the remote control "the Fu washes" key, the hip washes spray a mouth clearly to will at fix the position jet after two minutes an auto to stop jet.



Save

Economize on energy a key according to the remote control, the urinal monitor shows that economizing on energy a light is bright to namely open, the toilet gets into intelligence stanza electricity to need machine status.



Flipping

Press the remote control "turn over a cover", the cover automatically opens and presses this keys again, cover auto close.



Dry

Wash after two minutes clearly, press "the genial breezes dries" or the remote control of urinal up "dry" a key, the urinal will carry on genial breezes to dry, the genial breezes dries to automatically stop after 3 minutes.



Massage

Press the remote control "massage", spraying the head can carry on massaging to clean to the hip, the massage is to pass to wash press stanza Lyu clearly to variety but produce, promote blood circulation.



Turn around

Press the remote control "turn over a turn", the turn automatically opens and presses this keys again, turn auto close.



Flush

Press an urinal or remote control to "flush" a key, urinal start the urinal flush function. Don't wear, pressing an urinal "dry to flush" the key cannot also carry on a blunt water operation.



Forward

In the process of washing function clearly in press the remote control up spray a headway key can regulate hip to wash the position of spraying the mouth clearly forward while having never used to move to go back and forth to wash function clearly.



Backward

In the process of washing function clearly in press the remote control up spray a countermarch key can regulate hip to wash the position of spraying the mouth clearly forward while having never used to move to go back and forth to wash function clearly.



Seat

Press "regulate" key of remote control adjustable stanza turn temperature. The turn temperature can set for the turn not to heat, the blue about 34 Celsius degrees, green about 37 Celsius degrees, red is about 40 Celsius degrees.



Wind

Press the temperature of "breeze regulates" key adjustable stanza breeze of remote control. The genial breezes temperature can set for the genial breezes not to heat, the blue about 40 Celsius degrees, green about 50 Celsius degrees, red is about 60 Celsius degrees.



Water

Press "the water temperature regulates" of remote control key adjustable stanza toilet water temperature degree. The water temperature degree can set for the water temperature not to heat, the blue about 34 Celsius degrees, green about 37 Celsius degrees, red is about 40 Celsius degrees.



Pressure

Press "water pressure" key of remote control can enlarge or lower to wash strength for water pressure clearly. Washing the water pressure clearly can set for weak, medium, strong and the strongest.



Clean

Press the remote control "automatically clean", after finishing using to leave, sit urinal to automatically turn on water to clean, again press the key, automatically flush a function relief.




Lighting

At switch on status the bottom press "night light" to open, close a night light

Remote control pairing

Switch on the status knob loosens to open to hear hint that the sound leads 2 again to hear hint for the second time that the sound means into control from a distance to the code status after cleaning revolve not to put about 5 toward the hip, at this time press the remote control a key arbitrarily then to code successful

THE ON THE SIDE KNOB USE EXPLAINS



Stop: Knob according to next time

Switch on|shut down: The knob is long press 3 above

The hip cleans: Knob to left revolve

The female cleans: The knob rightwards revolves

The toilet hurtles water: Is rapid to press 2 knobs(inside the 0.7 Ss)

♂¹ Customer's one constitution: Switch on the status is short one key pressing the customer cut over customer's one parameter to arrive solid luck to go status and grow to press the customer 1 key the one parameter of 3 storage customers drop an electricity not to throw to lose

♂² Customer's 2 constitutions: Switch on the status is short 2 keys pressing the customer cut over customer's 2 parameters to arrive solid luck to go status and grow to press the customer 2 key 2 parameters of 3 storage customers drop an electricity not to throw to lose

- The Xuan twists into ex- Xuan to move to start Fu to wash function for a while, again the Xuan twists into front the Xuan move second times and start to move to massage function and press a knob to stop

- The Xuan twists hereafter Xuan to move to start a hip to wash function for a while, again the Xuan twists hereafter Xuan to move second times, start to move to massage function,press a knob to stop

THE KNOB ESTABLISHES AN USE ELUCIDATION

Fall a cover blunt water function constitution open/close

Press to turn over a cover and flush two keys to take at the same time anti- fall a cover to hurtle water function, if hear a hint sound mean to fall a cover blunt water function close, if hear 2 meaning to open.

The feet blunt water function opens/close

Press to turn over a cover and dry two keys to take anti- feet feeling blunt water function at the same time, if hear a hint sound mean the blunt water function of feet closes, if hear 2 meaning to open.

The feet turn over to cover function to open/close


Press to turn over a cover, hip to wash two keys to take anti- feet feeling to turn over to cover function at the same time, if hear a hint sound mean that the feet turn over to cover a function close, if hear 2 meaning to open.

The speech broadcasts function to open/close

Press economy energy and stop two keys to take an anti- speech to broadcast function at the same time, if hear a hint sound mean that the speech broadcasts a function close, if hear two while meaning to open, open can hear the speech hinting that the system switches on.

Knob cleans to show that the green light static state suggests in the hip, the back and forth revolved to show while moving; The blue light static state suggested when Fu washed, the back and forth revolved to show while moving; The purple static state shows while drying a work; The red static state shows while needing machine

Operate key use elucidation



A style monitor

B style monitor

Hip/the female clean、dry: Open to correspond to carry out function to show
Water temperature and: Show a water temperature and Wen Shi temperature
File: Show to correspond to carry out a function file

The toilet blunt water size regulates: Switch on status knob to loosen to open after going toward the female direction revolve not to put about 5
Press customer's one key into a toilet to hurtle water in 2 again after hearing hint a sound time to adjust status,
The knob white light revolves to show

The toilet shows that time regulates: Switch on status knob to loosen to open after going toward the female direction revolve not to put about 5
Press customer's 2 keys to get into a monitor to adjust status for time in 2 again after hearing hint a sound,
The knob white light flicker shows


The smooth wall function regulates: Switch on status knob to loosen to open after going toward the kirtle direction revolve not to put about 5
After hearing hint a sound press customer's one key in 2 again
can open|close smooth wall function

REALLY RECOGNIZE AN ITEM BEFORE USING

 **The first time uses an intelligence toilet,
please must confirm item**



Insert the power plug into the electric outlet

1. Insert the power plug into the electric outlet of exchanges(AC)220 Vs.



2. Please confirm a number to show front-panel designation whether order bright

Confirming into water valve whether is placed in to open status



The check enters water Cape valve to the decompression valve into water soft tube if installing is good enough.

 **Warn**



Please must firm conjunction ground line

The power plug of this product is three mutually plug.(take a ground of line)
When the occurrence breaks down or electric leakage, there is the danger
to get an electric shock.


Please install a company consultation with electricity while there being no a
ground of line plug on the electric outlet.

REALLY RECOGNIZE AN ITEM BEFORE USING

Confirm each function

1. Spray whether head and its pipe line leaks and wipe to do a pipe line each part of after, use to absorb water a paper check.
2. Press a turn respond place, whether buzzer has an of "drop".
3. The check cleans, dries, automatic deodorization, automatically blunt water action whether normal.
4. Whether damping buffer organization is normal.

Wear to respond position



The check cleans, dries, automatic deodorization function, should confirm sensor start. While cleaning, the cover live to spray oscular head and hold up to spray to sprinkle water, so as not to splash.

Warn

Please not an use to communicate 220 Vs outside of the power please press relevant stipulate to carry on cloth line.

Easily arouse a fire



USE BEARD TO KNOW

Economize on energy function

The following measure can effectively economize energy
After using, let go of a cover.

- the moderate water temperature doesn't want setting of blindness to upscale.
- the regulating to arrive not to influence comfortable degree is good.
- summer autumn of spring winter, please combine air temperature to carry on regulating.
- as far as possible the use has the device of stanza electricity function.
- please cut off the power while going out for a long time.

Slow-moving close the turn and cover


The intelligence toilet has a damping buffer the device make you avoid a close a turn creation collision voice.

Remote control

When dry battery electric power will soon exhaustion, the remote control indicator gets dark or doesn't suggest, controlling from a distance the operation can not respond, please replace new battery in time.

Spray a head to around there is water current?

Cleaning is front and back or the boiling pass constitution spray a head to around appear water while opening, this is a normal phenomenon on the structure, don't break down.



In addition to above-mentioned circumstance, if appearing water current isn't only, please close into water valve, pull out from the electric outlet the power plug, and with contact solution in the store bought.

Wear sensor

Install to have to spread a feeling machine, so while doing not fall, each function doesn't start as well, even if the mistake operation presses a switch. While following circumstance happening spread a feeling machine can not work. Have never fallen is spreading inside the feeling machine sensor scope.

*Please change to fall a position

SWEEP TO MAINTAIN EVERYDAY

⚠ Notice

While carrying on sweeping to maintain, please must pull out power switch, confirming the power of essence operation part has been already put out.


The intelligence toilet sweeps to maintain a way

Please be stained with water to wipe with the soft cloth

*if don't clear dirty mark in time, will become hard to clean, please usually wipe with water.

*Moreover, wiping with water can prevent°from producing static electricity, while the static electricity will adsorb dust and cause this product black, dirty.

*Moreover essence can also from urinal up dismantled to unload, easy to of the urinal and essence cleaning of part.



Spray a sweeping of head to maintain a method

Spray a head to contain dirty mark, please the type of using the toothbrush small brush etc. to carry on sweeping.



*Don't be strong line of to pull to stretch, the flection sprays a head.

⚠ Warn



Have to obey

Please periodically clear the power plug up adhere to of dust. Pulled out the power plug while sweeping, use dry of sweep cloth to carry on wiping.

*Insulate to badly probably cause a fire.

DISMANTLE TO UNLOAD TO CLEAN

The use dismantles to unload a method

Then cover of dismantling and unloading method

1. Pulled out the power plug from the electric outlet




2. The close enters water valve, stop water supply



3. Will then cover to bring up upward, from sit urinal to up dismantle bottom



4. Decline and then cover lightly
Be put to soft mat of floor top



1. Then the cover doesn't want to set upside down! Please don't put on the ground!

*The heating apparatus stem burns, will cause to emit smoke or a fire.

2. Please don't circumscribe power cable or essence to supply water a tube.

*Will cause breakage or electric leakage.

3. Please must be handle with care while then covering to carry on sweeping while dismantling.

*Will cause electric leakage, take place to break down.

Then the cover doesn't want to set upside down! Please don't put on the ground!



WHILE SPRAYING A FUNCTION TO WEAKEN

After the use for a long time if felling jet when the intensity weaken please press the following in proper order sweep a filter net.
(The period depends on local fluid matter)

The cleaning method of filter net

1. The close enters water valve, stop into water.



3. Flush to adhere to the dirt on the filter net with small brush and water



2. Revolve to dismantle a filter net.
*Will have a little amount water current at this time.



4. Press the filter net original the direction place into a filter, again the Ning tightly supply water a soft tube.

5. Open Cape valve to arrive original position water supply.



6. Finally pleasing must carry on movement.

Must close into water valve while dismantling to unload a filter net.
Invite practical Ning to tightly supply water a soft tube while
Installing a filter net, otherwise arouse a leak, the indoor accumulate water.

The remote control battery replaces

When the battery use up quickly, the remote control indicator becomes thin or puts out.

Press row main theme to replace battery.


*The plus or minus pole of battery has to be in accordance with the sign of remote control.

*New battery and old battery can not mix an use.

*Please use alkaline battery.

The remote control battery replaces

The remote control battery area covers to open behind and makes change new battery (two sections 1.5 Vs of the 7th alkaline battery).



PLACE OVER A LONG PERIOD OF TIME NEED NOT

The following circumstance invites you to line up water clean.

*Because go out trip's waiting don't use an intelligence toilet for a long time.


*When villa's waiting doesn't use for a long time.

Drain and cut off the power

1. The close enters water valve, stop into water



3. Please pull out the power plug from the electric outlet bottom



2. Line up water in the clean water supply soft tube.



4. While again using please must carry on trying movement

⚠ Notice

Must close into water valve while dismantling to unload to supply water a soft tube.

Please while installing to supply water a soft tube practical insert good enough.



Supply water soft tube occurrence when the congelation could not spray water please use to immerse the cloth overlay of having the hot water, make it defrost, or heat up indoor temperature, treat it to defrost naturally.

*Don't to supply water soft tube up sprinkle hot water or blow hot breeze.

THERE IS A DANGER OF FREEZING IN WINTER

At cold of winter, the intelligence toilet will damage because of sitting water in the urinal congelation, leak. For prevent^o froming freezing bad, just come in to act like operation.


Please pull out plug and inserted AC outlet to connect the power



General measures to prevent freezing

1. The water temperature switch and the seat temperature switch to [high] and close the cover.

Drain water from the water supply hose




2. Indoor heating

*If there is no heating in the room, please clean the water in the hose

Close the inlet valve and stop the water supply

When the water is drained, please insert the hose.



Please make sure to run the test when you use it again.

COMMON FAULT DIAGNOSIS

The power switch, hip cleans, the female clean, dry|breeze Wen Deng

*If think breaking down

If discover similar break down, please read an above contents, try it to handle method to mediate a breakdown problem, please contact to sell unit or stir a dozen of customer service center telephones to carry on contact.

POWER SWITCH

Break down a phenomenon	Break down analysis	Break down a processing
The product doesn't work	Check whether has an electricity whether electric outlet loosens	Please check electric circuit
	Check if product the power opens (The power indicator didn't be bright)	"Spray to clean the power" that is long to press the remote control 2 switch on, the intelligence orders by the power indicator of urinal bright.
	Whether electric leakage (electric leakage protection plug's showing that the light didn't be bright)	Pulled out the power plug from the electric outlet, again inserted soon afterward.Press a resetting of electric leakage protection plug switch, if still can not circulate, please pull out the power plug, entrust to fix.

DRY/BREEZE

Break down a phenomenon	Break down analysis	Break down a processing
Spray a head not water	Whether check stops water	Treat to supply water instauration
	Check if the Cape valve closes	Open Cape valve
	The check enters whether water filter is stopped up completely	Clean to filter a net or replace a filter
	The check enters a pipe line whether geological fold	Expel into pipe line geological fold
It's not enough to clean strength	It's not enough to clean strength	Make reference to manual to regulate water pressure
	The check enters whether water filter is blocked	Clean to filter a net or replace a filter

Break down a phenomenon	Break down analysis	Break down a processing
Spray a disorderly water	Excescent operation	Re- switch on electricity after pulling out plug for a minute
The water temperature isn't enough	Check if the water temperature establishes in the low file	Make reference to manual to regulate water temperature
	Whether the cold hot massage function opens	Make reference to manual to close cold hot massage function
Clean a machine drop often water	The electromagnetism valve is expired	Please maintain
Cleaning the achievement can use as usual	Whether the hair in turn has other hard things to set up with props	Move in addition to hard thing
	The turn human body responds if the district skin overalies	Adjust a sitting posture overlay the turn human body respond district
	Whether take the seat a period to stop to conduct electricity and resume power supply	Re- switch on electricity after pulling out plug for a minute
	Skin completely the overlay turn human body respond area	The turn human body sensor expiration, ask a professional personnel to maintain

DRY/BREEZE

Break down a phenomenon	Break down analysis	Break down a processing
Dry to blow cold breeze	The check dries whether establish in the normal temperature file or arrive file	According to manual to regulate to dry breeze
	Dry to heat if the parts damages	Please maintain

SIT

Break down a phenomenon	Break down analysis	Break down a processing
Turn temperature over low do not heat	Check turn temperature whether establish at close file	According to manual to regulate to sit
	Whether open stanza electricity function	According to the manual choice close stanza electricity function

REMOTE CONTROL

Break down a phenomenon	Break down analysis	Break down a processing
The remote control is out of order	Check the remote control battery electricity quantity whether lead low	Please replace battery
	Check if the remote control front-panel has drop of water	Use to do cloth to wipe drop of water
	Get into automation constitution or feeling to be apart from to regulate mode	According to manual to withdraw an automation constitution mode or feeling to be apart from to regulate mode
	If four above processings are all invalid	Please maintain

CERAMIC

Break down a phenomenon	Break down analysis	Break down a processing
The water pressure hurtled while being low not clean	The filter blocks	Carry on cleaning to the filter according to the manual
	Home water pressure over low	Check whether is smaller than a 5 Ls for amount of water 10 seconds, suggest to purchase to increase to press a pump
	Line up a dirty to leak air	Tidy up to take care of road curved convert into cash elephant, keep to supply water to take care of road smoothly
Water pressure as usual hurtle not clean	If four above processings are all invalid	Please carry on maintaining
	The S curved tube blocks	Please purchase skin to bolt to carry on dredging a processing in the local market
Water pressure as usual blunt not clean	Flush valve breakdown	Please carry on maintaining
Cover turn the whereabouts lead quickly	Damping soft landing the function is expired	Please carry on maintaining
Cover the turn can not open or close	The automatic damping function is expired	<ol style="list-style-type: none"> 1.Re- switch on electricity after pulling out plug for a minute 2.The above-mentioned processing is invalid, ask a professional personnel to maintain

*Automatically turn over a cover|turn over a turn of model

AFTER-SALES SERVICE

Please read the following carefully

1. Please while looking for an after-sales service careful reading to originally use manual and protect to fix card, confirmation whether belong to free protect to fix inside the scope. Please carefully maintain like your protect to fix card.
2. The contents that needs to be handed in when the product report fixes includes: The address, customer's name and contact telephone, product model number and factory serial number (pay respects to protect to fix the card, product over-wrap box, intelligence to sit urinal), break down a contents. Excrement circumstance (is as far as possible detailed), hope to come date of service.
3. While protecting to fix the product in the scope to fix please must produce to protect to fix card, and according to protecting to fix the rules on the card to carry on fixing; While outrunning to protect to fix scope at can maintain the premise of product use function under, ask for carrying on Chang to fix according to the customer.
4. The free after-sales service stipulates. Customer at purchase of from day, at protect and fix period inside the exactitude use but occurrence break down of, can with protect to fix card and effective invoice to carry on free maintain. Even if is protecting to fix inside the scope, at belong to one of the following (1-8) circumstances of, need to consider feeling to take to fix expenses: (material fee, artificial fee and come a fee)
 1. *Can not produce to agree with of protecting and fixing card and purchase the circumstance of effective invoice.
 2. *Do not press the use elucidation who tell of operation method and regulation result in of breakdown.
 3. *Dismantle to unload by oneself. The damage and breakdown fix, refitted to result in.
 4. *Because the force majeure etc. external reason arouses of breakdown and damage.
 5. *Because conveyance, portorage, squeeze the damage that etc. results in.
 6. *Outrun common home use (is public to use over a long period of time, other special place use etc.) but cause of blemish or damage.
 7. *Move machine gearing according to customer's request.
 8. *The service life that consumes a piece has been already exerts (for example blunt water battery) etc..

PRODUCT SPECIFICATION

Class		Specification
The rated voltage		Ac 220 ± 10% 50HZ/60HZ
power		1700W
Cleansing function	Water yield	
	Hip cleaning	About 700 ml/min
	Women cleaning	About 700 ml/min
	The water temperature	Normal temperature?34°C?37°C?40°C(Four block)
	Warm water heating	The thermal type
	Heater power	1600W
Safety device		Inlet, water temperature sensor, temperature fuse, thermostat, leakage protector
Drying function	Warm air temperature	Normal temperature?48°C?55°C?62°C(Four block)
	The wind speed	>4m/s
	Heater power	Average about 220W (Max. 350W)
	Safety device	Double metal slice, temperature fuse
Seat heating	Safety device	Normal temperature?34°C?37°C?40°C(Four block)
	Heater power	About 45W
	Safety device	The temperature spreads feeling machine, temperature fuse
deodorization		Activated carbon high efficient contact coal filte
Mobile cleaning		Move 1.5cm before and after sprinkler head
Nozzle position		Can move adjustment before or after
Location of water supply		5~40°C
Static water supply pressure		0.15 (Move to press) -0.75 (Static pressure)

PRODUCT WARRANTY CARD

We appreciate that you purchase my company product, our company is promised as follows: Discover product quality problem please and buy goods place or the after-sales service of our company to contact.

Product name	Intelligent toilet	Product model	
Purchase date		Sequence	
The customer name		The report fixes term	Purchase date since in full 2 years
Contact address			
Maintenance record	Break down and handle a circumstance	Maintenance date	Maintenance personnel

User retention link

Product warranty related matters

*When purchasing this product, fill in the contents of the product guarantee and keep it properly.

*47/5000 Within 30 days from the date of purchase, if the product is found to have a quality problem under normal use, the company will be responsible for the replacement of the product after the certification of the technician of the company.

*Any instructions, notices, labels and other contents mentioned in the warranty period shall be repaired by the company free of charge.

*The service within the warranty period shall be within the scope of the paid maintenance services, which shall charge the maintenance fee as appropriate

Have a taste maintenance service

*After installation, due to improper or perceived fault and damage

*To disassemble or refit the failure caused by unauthorized use

*Fire, typhoon, flood, earthquake, fire and lightning fault caused by abnormal

*Transfer to installation according to customer's requirement

*The life of the expat has been exhausted

*The products have been repaired by non-company technical personnel

*Ordinary families think (such as public places) use of the resulting failures and injuries

*Unpurchased invoice

*The warranty card information is not filled out, and the "user backfold" is not returned to the company



Please will protect to fix a card information to fill in an integrity and tore "the customer returns to keep allied" to send companies otherwise don't enjoy to protect to fix a policy once!

The user name		Contact number	
Contact address			
Buy the shop		Purchase date	
Product model		satisfaction	Satisfied <input type="checkbox"/> general <input type="checkbox"/> unsatisfied <input type="checkbox"/>
The serial number		Customer signature	

User acknowledgement



IntelligentToilet

Data in this manual carefully check, and strive to accurate, if you have any printing error, may produce error, so the company is not undertaken the consequences. Printing process can make products have slight difference with real data, due to the time of data printing, product specifications may change slightly when buy in kind shall prevail.